

09/328183

cgc


I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to:
Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: April 12, 2006

Signature:

Marcy Overstreet
(Marcy Overstreet)

Docket No.: 27889-00037USPT
(PATENT)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Overton L. Parish et al.

Patent No.: 6935409

Issued: August 30, 2005

For: COOLING APPARATUS HAVING LOW
PROFILE EXTRUSION AND METHOD
OF MANUFACTURE THEREFORE

Certificate

APR 21 2006

of Correction

TRANSMITTAL LETTER

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed are the following items for filing in connection with the above-referenced

Patent:

1. Request for Certificate of Correction (No Fee) (2 pages);
2. Certificate of Correction (1 page); and
3. Postcard Acknowledgment.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this

APR 21 2006

Application No.: 09/328183

Docket No.: 27889-00037USPT

application by this firm) to our Deposit Account No. 10-0447, under Order No. 27889-00037USPT. A duplicate copy of this paper is enclosed.

Dated: April 12, 2006

Respectfully submitted,

By Michael W. Maddox

Michael W. Maddox

Registration No.: 47,764

JENKENS & GILCHRIST, A PROFESSIONAL
CORPORATION


1445 Ross Avenue, Suite 3700

Dallas, Texas 75202

(214) 855-4500

Attorneys For Applicant

APR 21 2006



I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to:
Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: April 12, 2006

Signature:

Marcy Overstreet
(Marcy Overstreet)

Docket No.: 27889-00037USPT
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Overton L. Parish et al.

Patent No.: 6935409

Issued: August 30, 2005

For: COOLING APPARATUS HAVING LOW
PROFILE EXTRUSION AND METHOD
OF MANUFACTURE THEREFORE

REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

Patent

Column 3, line 8

Column 12, line 23,
Claim 31

Application filed

Page 2, line 4;
Amendment filed April 24 2000

Page 6, claim 39;
Amendment filed April 28, 2004

The errors were not in the application as filed by applicant; accordingly no fee is required.

APR 21 2006

Docket No.: 27889-00037USPT

Patent No.: 6935409

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: April 12, 2006

Respectfully submitted,

By Michael W. Maddox

Michael W. Maddox

Registration No.: 47,764

JENKENS & GILCHRIST, A PROFESSIONAL
CORPORATION

1445 Ross Avenue, Suite 3700

Dallas, Texas 75202

(214) 855-4500

Attorneys For Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6935409
APPLICATION NO. : 09/328183
ISSUE DATE : August 30, 2005
INVENTOR(S) : Overton L. Parish et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 8

After "if space allows.",
insert --It is notable that the micro
tubes 21 formed in the extrusion
20 may be of nearly any geometry
and that shapes with flattened heat
transfer surfaces are generally
preferred, but tubes of any shape
could be used with varying
degrees of efficiency. This is best
illustrated in Figures 7 and 8,
where flat extrusions 20 with
rectangular micro tubes 21 are
shown.--

Column 12, line 23,
Claim 31

Replace "beat"
With --heat--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Michael W. Maddox
JENKENS & GILCHRIST, A PROFESSIONAL CORPORATION
1445 Ross Avenue, Suite 3700
Dallas, Texas 75202

DALLAS2 1151611v1 27889-00037

APR 21 2006

6,935,409

APR 21 2006